

To: Vanderloop, Celia L. - CPD Planning Services[Celia.Vanderloop@denvergov.org]
Bcc: Sisk, Richard[Sisk.Richard@epa.gov]
From: Schmittiel, Paula
Sent: Wed 12/3/2014 6:53:07 PM
Subject: RE: Scheduling meeting for VB/I-70 removal

No – Richard is probably essential to this meeting on the administrative order. I will ask him to respond ASAP. Thank you.

Paula Schmittiel

Remedial Project Manager

U.S. Environmental Protection Agency

1595 Wynkoop St.

Denver, CO 80202


Office: 303-312-6861

Fax: 303-312-7151

Cell: 720-951-0795

From: Vanderloop, Celia L. - CPD Planning Services
[mailto:Celia.Vanderloop@denvergov.org]
Sent: Wednesday, December 03, 2014 11:50 AM
To: Schmittiel, Paula
Subject: RE: Scheduling meeting for VB/I-70 removal

Richard Sisk hasn't responded. Would you like me to go ahead and schedule without him?



Celia VanDerLoop | Environmental Project Manager
North Denver Cornerstone Collaborative | City and County of Denver
201 W. Colfax, Denver, CO 80204

720.865.5458 Phone | 720.300.1108 Cell
celia.vanderloop@denvergov.org

From: Schmittiel, Paula [<mailto:Schmittiel.Paula@epa.gov>]
Sent: Wednesday, December 03, 2014 11:49 AM
To: Vanderloop, Celia L. - CPD Planning Services
Subject: RE: Scheduling meeting for VB/I-70 removal

Celia – I will need to know ASAP when this meeting will be scheduled as January is filling up for me already. Thanks.

Paula Schmittiel

Remedial Project Manager

U.S. Environmental Protection Agency

1595 Wynkoop St.

Denver, CO 80202


Office: 303-312-6861

Fax: 303-312-7151

Cell: 720-951-0795

From: Vanderloop, Celia L. - CPD Planning Services
[<mailto:Celia.Vanderloop@denvergov.org>]
Sent: Wednesday, December 03, 2014 9:30 AM
To: Vanderloop, Celia L. - CPD Planning Services; Schmittiel, Paula; Sisk, Richard;
doug.jamison@state.co.us; fonda.apostolopoulos@state.co.us
Cc: Renneker, Jason W. - PWCPMW Project Management; PaulRosasco@EMSIDenver.com;
Farrell, Lisa A. - Environmental Quality Division; Brody, Jessica R - City Attorney Office;
Clayton, Zachery W. - Environmental Quality Division; Maes, Rose A. - Environmental Quality
Division; Coggins, Steven - PW Contractor; Moreno, Michael P. - Environmental Quality
Division
Subject: RE: Scheduling meeting for VB/I-70 removal

Hi everyone: Thanks to those of you who have filled out the doodle poll for the meeting below. For those who haven't, if you could please fill out the doodle poll at <http://doodle.com/urc89d8pkzwd5tq6> and we'll go ahead and get this scheduled. And, please forward to anyone else who should be invited. We'll go ahead and set something up based on the responses we receive as of next Monday, December 8th. Please let me know if you have any questions.



Celia VanDerLoop | Environmental Project Manager
North Denver Cornerstone Collaborative | City and County of Denver
201 W. Colfax, Denver, CO 80204

720.865.5458 Phone | 720.300.1108 Cell
celia.vanderloop@denvergov.org

From: Vanderloop, Celia L. - CPD Planning Services

Sent: Tuesday, November 18, 2014 4:04 PM

To: Schmittiel, Paula; sisk.richard@epa.gov; doug.jamison@state.co.us; fonda.apostolopoulos@state.co.us

Cc: Renneker, Jason W. - PWCPMW Project Management; PaulRosasco@EMSIDenver.com; Farrell, Lisa A. - Environmental Quality Division; Brody, Jessica R - City Attorney Office; Clayton, Zachery W. - Environmental Quality Division; Maes, Rose A. - Environmental Quality Division; Coggins, Steven - PW Contractor

Subject:

Hi everyone:

I wanted to schedule a meeting to discuss items needed to move forward on the planned removal action for the VB/I-70 Superfund site. We had previously tried to schedule for late October, and weren't able to make that work. Given that we're approaching the holiday season, we thought it best to try to schedule for early January in order to get the best availability. I'm asking Rose Maes to send out a doodle poll to check availability and to set up this meeting. Rose: I think we'll need at least 90 minutes, so you might want to schedule for 2 hours. If possible, it might be convenient for EPA to host.


You'll remember that Denver has plans to install an open channel drainage way to convey storm water from the I-70 project, RTD construction, and other existing sources. The channel's current alignment extends across the Coliseum property, and we have previously discussed the potential to do this work through a removal action. The channel is intended to be an amenity, ultimately

linking to other green infrastructure built in the area. This meeting is intended to bring everyone up to speed on status, and discuss design concepts and review needed for that design, as constrained by Denver's need to provide drainage for the I-70 and RTD projects.

Here is a tentative agenda:

- a. Introductions, meeting purpose
- b. Review of project goals and current status updates
- c. AOC and SOW
- d. Conceptual design components
- e. Schedule constraints and possible for design, documents and review needed
- f. Any other information and action steps
- g. Next steps

Please let me know any questions.



Celia VanDerLoop | Environmental Project Manager
North Denver Cornerstone Collaborative | City and County of Denver
201 W. Colfax, Denver, CO 80204

720.865.5458 Phone | 720.300.1108 Cell
celia.vanderloop@denvergov.org